



Confident

The ability Laufenn provides is rooted in its uncompromising commitment to quality. When you go to work or head out to meet your friends... When you go on a trip or venture out to a new place... Laufenn is there with you everyday providing optimized performance and confidence.

Simple

Laufenn is Simple – with no add-ons and nothing to spoil your driving experience. Committed to the basics, Laufenn offers a pure driving experience tailored to for your needs.

Open-minded

Laufenn refuses to accept a one-size-fits-all attitude. You know value when you see it and are determined to embrace new choices. Making Laufenn your choice is transforming your own value into a new trend.

Sensible

Laufenn understands your refined taste. You have an extraordinary eye for quality – all at a glance. Your choices are always solid. Laufenn expresses your excellent style and represents your fashionable personality.



X FIT at

All Terrain LT & SUV Tire







The X FIT AT provides SUV and light truck drivers with impressive traction and improved capability resulting in outstanding on and off-road performance.







FEATURES

- Designed to resist external damage
- Improved traction and braking
- Enhanced off-road traction
- Excellent grip in wet conditions

X FIT aT

Speed Symbol: T/R/S Series: Metric 65~75srs,

LT Metric 70~85srs

Inch: Metric 15~18",

LT Metric 15~17"

UTQG: 520 A B



Performance Information

Wear Life	7
Off Road	10
Traction	9
Comfort	6
Noise	6


Off-road







The design of the X FIT AT ensures optimized handling and performance for both on and off-road driving conditions.



Stone Ejectors

The stepped groove inside tread block design of the X FIT AT prevents stones from lodging in its tread, protecting the tire from external damage.





X FIT AT

Standard Tire

Rock Block 3D-Edge

A 3D-edged sidewall block design protects the X FIT AT from external impact damage and offers enhanced traction in muddy or snowy conditions.



Waved & Deep Kerf Depth

A 2-step deep kerf design helps to maintain both on and off-road performance throughout the life of the tire.











On & Off-Road









Advanced design for driving enjoyment in every season.

4 Circumferential Grooves

Four wide grooves provide efficient water drainage in wet conditions to help prevent hydroplaning.



Zigzag Block Edge

A zigzag block edge design increases traction in dry, muddy and snowy conditions.



Wide Tread

A wide tread design ensures stable driving by maintaining top-of-theline grip in any season and in any road condition, on or off-road.







Standard Tire

Safety




The X FIT AT tires ensure safe driving on rugged off-road terrain.

Rim Protectors

A rim protector designed into the tire's bead section helps to prevent external impact damage that can occur when driving in rugged terrain and also helps protect vehicle wheels.





Rim Cushion

A special rubber compound serves as a rim cushion where the tire's bead meets the wheel to prevent damage from external impacts when driving in harsh conditions.

This rim cushion also offers more stable driving performance.





TIRE STRUCTURE

The X FIT AT adopts new technology for SUVs and light trucks, engineered for on & off performance.



^{*} The model size in the structural diagram is for the 245/75R16T tire, and the descriptions of structural diagrams may vary by size.

AVAILABLE SIZES

Metric

15 inch

Size	Ply Rating	Sidewall Type
235/75R15 109T XL	4	В

18 inch

Size	Ply Rating	Sidewall Type
275/65R18 116T	4	В

16 inch

Size	Ply Rating	Sidewall Type
235/70R16 106T	4	В
245/70R16 107T	4	В
255/70R16 103T	4	В
265/70R16 112T	4	В
245/75R16 111T	4	В

17 inch

Size	Ply Rating	Sidewall Type
245/65R17 107T	4	В
265/65R17 112T	4	В
245/70R17 110T	4	В
255/70R17 112T	4	В
265/70R17 115T	4	В

LT-Metric

15 inch

Size	Ply Rating	Sidewall Type
LT235/75R15 104/101R	6	В

16 inch

Size	Ply Rating	Sidewall Type
LT225/75R16 115/112S	10	В
LT245/75R16 120/116S	10	В
LT235/85R16 120/116R	10	В

17 inch

Size	Ply Rating	Sidewall Type
LT245/70R17 119/116R	10	В
LT265/70R17 121/118S	10	В
LT245/75R17 121/118S	10	В
LT235/80R17 120/117R	10	В

Flotation

15 inch

Size	Ply Rating	Sidewall Type
31X10.50R15 109R	6	В

