

X FIT AT²



Laufenn

Journey in Style

A Brand by Hankook Tire

Laufenn

A Brand by Hankook Tire





Official Tire Partner

Tire that fits

Laufenn is a life-fit brand tailor made for drivers who appreciate safety, innovation, and value in their products. Created for people who are searching for excellent everyday performance with competitive prices. Simplicity, Quality, and Technology make the brand unique. Their great performance and minimalist design allow drivers to fit Laufenn tires to any make and model and fulfill the needs and lifestyles of customers worldwide.

	Z FIT Premium sports	 Wet	 Dry	 Handling	 Sport
	S FIT Premium performance	 Wet	 Dry	 Handling	 Fuel Efficiency
	G FIT Touring	 Wet	 Dry	 Comfort	 Wear Life
	X FIT On/off road	 Durability	 Comfort	 Wear Life	 Off Road
	I FIT Winter	 Snow	 Wet	 Ice	 Traction

**Explore more!
Every road, Every weather
Your adventure never ends.**




Fierce Fearless

The Boldest FIT yet

X FIT AT²

No compromises. On-road or off-road, the X FIT AT² delivers dependable performance that keeps you safe and ready for adventure. Engineered for confident control across all terrains, it features a bold and aggressive design that stands out wherever you go.



Property


Off Road


Dry


Wet


Snow

Benefit


Durability


Braking


Traction


Noise

60K
warranty
P-Metric

50K
warranty
LT-Metric

X FIT AT²	M+S 
Tread Width	215~315
Inch	15"~22"
Speed Symbol	R, S, T, H
Ply Rating	4P~12P
U.T.Q.G	680 A B


- FEATURES**
- Distinctive and aggressive appearance
 - Exceptional durability across rough and demanding terrains
 - All-weather capability ensures reliability in any seasons
 - Improved tread wear for extended mileage

Aggressive and Bold Appearance

The Laufenn X FIT AT² combines rugged, all-terrain performance with a bold, aggressive design. Built to give you the confidence to conquer any road, it's the perfect companion for every adventure.

Distinctive Design

Bold side blocks with a rugged, irregular design form a unified, solid structure (4in1) that enhances the powerful off-road look while providing grip where it counts.




Lettered for Impact

3D sidewall lettering enhances visual harmony while reinforcing Laufenn's unique brand identity.



Cohesive Look

Integrated shoulder blocks connect the tread and sidewall, delivering a cohesive look and added traction for improved handling.






Durability




Off Road



Durability

The X FIT AT² delivers exceptional durability with consistent performance across rough and demanding terrains.




Enhanced Robustness

With its 3 ply construction, the X FIT AT² delivers reinforced strength and durability, offering enhanced confidence in harsh conditions.


* Available in select sizes

3ply



Off Road Protection

Offset shoulder blocks enhance protection against sharp rocks and off-road hazards, while their staggered layout improves both durability and traction.




Rim Protectors

A rim protector designed into the tire's bead section helps to prevent external impact damage that can occur when driving in rugged terrains and also helps protect vehicle wheels.


Long-Lasting Adventure

The X FIT AT² delivers reliable on- and off-road performance with long-lasting tread life.




Increased Tread Wear

Laufenn's compound has improved wear performance by applying high-abrasion carbon black. X FIT AT² compromise that long lasting adventure.




Maintain Grip with Deep Sipes

A 2-step deep sipe design helps to maintain both on and off-road performance throughout the life of the tire.



Prevent Irregular Wear

Optimized tread blocks maintain balanced stiffness, reducing irregular wear and extending tread life. The X FIT AT² ensures consistent contact even on uneven terrain.




ON-ROAD

OFF-ROAD




All Weather Performance

From dry roads to snowy trails, the X FIT AT² delivers year-round performance with 3PMSF-certified winter capability.




Ensuring Winter Season

3D sipes enhance winter performance and driving stability by reducing block movement, while 3PMSF certification ensures reliable traction in severe winter conditions.



Control on Soaked Terrain

Directional and lateral grooves help prevent hydroplaning and efficiently evacuate water and mud, while the high-hysteresis compound ensures confident performance on wet roads.



Enhanced Traction

Stepped shoulder edges improve traction and grip on both on- and off-road surfaces while also enhancing dry performance.



SNOW

WET

DRY



Dual Ride Experience

The X FIT AT² delivers a quiet and comfortable ride on any surface, while also providing precise steering control for a dynamic driving experience.




Dynamic Driving

Multi-directional grooves and sipes provide traction in all directions and enable dynamic driving.



Reduced Impact Noise

Chamfered block edges further minimize impact noise on all terrains.



Noise-optimized Tread Design

The X FIT AT² features an optimized tread pitch sequence developed through advanced noise simulation, reducing road noise for a quieter, more comfortable ride.

Available Sizes

All sizes are marked with 3PMSF and M+S.

Rim Diameter	A-code	Tire size	Load index & Speed rate	Load Range	Ply Rating	Sidewall Color	Approved Rim width (in)	Measuring Rim (in)	Overall Diameter (in)	Overall Width (in)	Revs Per Mile	Tread Depth (/32in)	Weight (lbs)	Max. Load Single / Dual (lbs)	Max. Pressure (psi)	UTQG	3ply
15"	1037236	235/75R15	109T	XL	4	BSW	6.0-8.0	6.5	28.8	9	721	12.2	31.3	2271	50	680 A B	
	2022553	30X9.50R15LT	104S	C	6	BSW	6.0-8.0	7.5	29.5	8.8	708	14.6	36.6	1985	50		
	2022527	31X10.50R15LT	109S	C	6	BSW	7.0-9.0	8.5	30.5	9.9	686	14.6	40.9	2270	50		
	2022554	33X12.50R15LT	108S	C	6	BSW	8.0-10.5	10.0	32.7	11.5	640	15.2	53.6	2205	35		
	2022555	35X12.50R15LT	113R	C	6	BSW	8.0-10.5	10.0	34.5	11.6	605	15.2	58.3	2535	35		
16"	1037521	235/70R16	106T		4	BSW	6.0-8.0	7.0	28.9	9.3	719	12.2	29.8	2094	51	680 A B	
	1037526	245/75R16	115T	XL	4	BSW	6.5-8.0	7.0	30.4	9.5	683	12.3	34.4	2679	50	680 A B	
	1037232	265/70R16	116T	XL	4	BSW	7.0-9.0	8.0	30.6	10.4	679	12.6	36.9	2756	50	680 A B	
	1037235	265/75R16	116T		4	BSW	7.0-9.0	7.5	31.6	10.2	658	12.6	37.8	2756	51	680 A B	
	2022541	LT215/85R16	115/112R	E	10	BSW	5.0-7.0	6.0	30.3	8	689	14.6	39.1	2680 / 2470	80		
	2022526	LT225/75R16	115/112R	E	10	BSW	6.0-7.5	6.0	29.2	8.6	715	14.6	39.0	2680 / 2470	80		
	2022556	LT235/85R16	120/116R	E	10	BSW	6.0-7.5	6.5	31.7	8.5	660	14.6	43.6	3042 / 2778	80		
	2022524	LT245/75R16	120/116R	E	10	BSW	6.5-8.0	7.0	30.4	9.4	688	14.6	43.4	3042 / 2778	80		
	2022523	LT265/75R16	123/120S	E	10	BSW	7.0-9.0	7.5	31.6	9.8	662	14.6	48.1	3415 / 3085	80		
	2022537	LT285/75R16	126/123R	E	10	BSW	7.5-9.5	8.0	32.9	10.6	636	15.2	57.7	3750 / 3415	80		●
17"	1037519	225/65R17	102H		4	BSW	6.0-8.0	6.5	28.4	9.3	731	11.7	28.8	1874	51	680 A B	
	1037520	235/65R17	108H	XL	4	BSW	6.5-8.5	7.0	29.1	9.5	714	11.8	31.5	2205	50	680 A B	
	1037522	235/75R17	109T		4	BSW	6.0-8.0	6.5	30.8	9	674	12.2	32.4	2271	51	680 A B	
	1037524	245/65R17	111T	XL	4	BSW	7.0-8.5	7.0	29.5	10	704	12.0	33.4	2403	50	680 A B	
	1037525	245/70R17	110T		4	BSW	6.5-8.0	7.0	30.5	9.6	681	12.3	33.9	2337	51	680 A B	
	1037527	255/65R17	110T		4	BSW	7.0-9.0	7.5	30	10.4	692	12.1	34.8	2337	51	680 A B	
	1037528	255/70R17	116T	XL	4	BSW	6.5-8.5	7.5	31	9.9	670	12.5	36.2	2756	50	680 A B	
	1037514	255/75R17	115T		4	BSW	6.5-8.5	7.0	32	10	650	12.5	37.0	2679	51	680 A B	
	1037229	265/65R17	116T	XL	4	BSW	7.5-9.5	8.0	30.5	10.9	681	12.2	36.3	2756	50	680 A B	
	1036875	265/70R17	115T		4	BSW	7.0-9.0	8.0	31.6	10.6	657	12.3	37.9	2679	51	680 A B	
	2022518	35X12.50R17LT	125S	E	10	BSW	8.0-10.5	10.0	34.5	11.5	605	15.2	65.5	3640	65		●
	2022543	37X12.50R17LT	128S	E	10	BSW	8.0-10.5	10.0	36.6	11.6	572	15.2	66.6	3970	65		●
	2022536	LT235/80R17	120/117R	E	10	BSW	6.0-8.0	6.5	31.7	8.7	659	14.6	43.6	3085 / 2835	80		
	2022557	LT245/70R17	119/116S	E	10	BSW	6.5-8.0	7.0	30.5	9.6	685	14.6	43.1	3000 / 2755	80		
	2022521	LT245/75R17	121/118S	E	10	BSW	6.5-8.0	7.0	31.4	9.4	665	14.6	44.9	3195 / 2970	80		
	2022233	LT265/70R17	123/120S	E	10	BSW	7.0-9.0	8.0	31.6	10.5	661	15.2	47.0	3415 / 3085	80		
	2022525	LT285/70R17	126/123S	E	10	BSW	7.5-9.5	8.5	32.8	11.1	638	15.2	59.8	3750 / 3415	80		●
	2022560	LT315/70R17	126/123S	E	10	BSW	8.0-10.5	9.5	34.5	12.3	607	15.2	68.1	3750 / 3415	65		●

Available Sizes

All sizes are marked with 3PMSF and M+S.

Rim Diameter	A-code	Tire size	Load index & Speed rate	Load Range	Ply Rating	Sidewall Color	Approved Rim width (in)	Measuring Rim (in)	Overall Diameter (in)	Overall Width (in)	Revs Per Mile	Tread Depth (/32in)	Weight (lbs)	Max. Load Single / Dual (lbs)	Max. Pressure (psi)	UTQG	3ply
18"	1037523	245/60R18	105H		4	BSW	7.0-8.5	7.0	29.5	10.1	703	12.0	31.3	2039	51	680 A B	
	1037529	255/70R18	113T		4	BSW	6.5-8.5	7.5	32	9.9	649	12.5	36.9	2535	51	680 A B	
	1037516	265/60R18	110T		4	BSW	7.5-9.5	8.0	30.4	11	683	12.2	35.8	2337	51	680 A B	
	1037234	265/65R18	116T	XL	4	BSW	7.5-9.5	8.0	31.5	10.9	660	12.2	38.4	2756	50	680 A B	
	1037517	265/70R18	116T		4	BSW	7.0-9.0	8.0	32.6	10.4	637	12.6	39.1	2756	51	680 A B	
	1037231	275/65R18	116T		4	BSW	7.5-9.5	8.0	32.1	11.1	648	12.3	39.4	2756	51	680 A B	
	2022561	33X12.50R18LT	122S	F	12	BSW	8.5-11.0	10.0	32.5	12.3	643	15.2	65.7	3305	80		●
	2022519	35X12.50R18LT	128R	F	12	BSW	8.5-11.0	10.0	34.5	11.8	605	15.2	70.2	3970	80		●
	2022542	37X12.50R18LT	128R	E	10	BSW	8.0-10.5	10.0	36.6	11.6	572	15.2	71.7	3970	65		●
	2022538	LT265/70R18	124/121S	E	10	BSW	7.0-9.0	8.0	32.6	10.2	641	14.6	49.4	3525 / 3195	80		
	2022548	LT275/65R18	123/120S	E	10	BSW	8.0-9.5	8.0	32.1	11.1	652	14.6	55.7	3415 / 3085	80		●
	2022549	LT275/70R18	125/122S	E	10	BSW	7.0-9.0	8.0	33.2	10.7	631	14.6	56.7	3640 / 3305	80		●
	2022545	LT285/65R18	125/122S	E	10	BSW	8.5-10.0	8.5	32.6	11.5	642	15.2	60.3	3640 / 3305	80		●
	2022540	LT295/70R18	129/126S	E	10	BSW	7.5-10.0	8.5	34.3	11.1	610	15.2	65.2	4080 / 3750	80		●
20"	1037515	265/50R20	111T	XL	4	BSW	7.5-9.5	8.5	30.5	11.4	682	11.2	37.9	2403	50	680 A B	
	1037233	275/55R20	117T	XL	4	BSW	7.5-9.5	8.5	31.8	11.5	654	11.8	41.6	2833	50	680 A B	
	1037230	275/60R20	115T		4	BSW	7.5-9.5	8.0	33	11.3	630	12.3	41.2	2679	51	680 A B	
	2022516	33X12.50R20LT	119R	F	12	BSW	8.5-11.0	10.0	32.5	12.6	643	15.2	65.5	3000	80		●
	2022515	35X12.50R20LT	125R	F	12	BSW	8.5-11.0	10.0	34.5	12.3	605	15.2	72.0	3640	80		●
	2022517	37X12.50R20LT	126R	E	10	BSW	8.5-11.0	10.0	36.6	11.8	572	15.2	77.0	3750	65		●
	2022558	LT265/60R20	121/118R	E	10	BSW	8.0-9.5	8.0	32.5	10.8	644	14.6	54.3	3195 / 2910	80		
	2022514	LT275/65R20	126/123S	E	10	BSW	8.0-9.5	8.0	34.1	11.2	614	14.6	60.8	3750 / 3415	80		●
	2022559	LT285/55R20	122/119R	E	10	BSW	8.5-10.0	9.0	32.4	11.9	646	15.2	60.4	3305 / 3000	80		●
	2022539	LT285/60R20	125/122S	E	10	BSW	8.5-10.0	8.5	33.5	11.6	625	15.2	62.8	3860 / 3525	80		●
	2022562	LT305/55R20	125/122S	F	12	BSW	9.0-11.0	9.5	33.2	12.7	630	15.2	64.8	3640 / 3305	80		●
22"	1037518	285/45R22	114H	XL	4	BSW	9.0-10.5	9.5	31.9	11.4	650	11.5	40.4	2601	50	680 A B	

Popular Vehicle Fitments

Rim Diameter	A-code	Tire size	Load index & Speed rate	Load Range	Ply Rating	Vehicle
15"	1037236	235/75R15	109T	XL	4	Ford F-150, Chevrolet C/K 1500 (GMT400), Ford Ranger
	2022553	30X9.50R15LT	104S	C	6	Jeep Wrangler TJ, Jeep Cherokee XJ
	2022527	31X10.50R15LT	109S	C	6	Toyota Tacoma, Ford Bronco (Classic)
	2022554	33X12.50R15LT	108S	C	6	Jeep Wrangler TJ / YJ, Ford Bronco, Chevrolet K5 Blazer
	2022555	35X12.50R15LT	113R	C	6	Jeep Wrangler TJ (Lifted), Ford Bronco, Toyota 4Runner (Lifted)
16"	1037521	235/70R16	106T		4	Ford Escape, Honda Pilot, Ford F-150
	1037526	245/75R16	115T	XL	4	Toyota Tacoma, Chevrolet Silverado, Jeep Wrangler
	1037232	265/70R16	116T	XL	4	Toyota Tacoma, Nissan Frontier, Toyota 4Runner
	1037235	265/75R16	116T		4	Chevrolet Silverado, Nissan Frontier, GMC Sierra
	2022541	LT215/85R16	115/112R	E	10	Ford F-350, Dodge Ram 3500, Chevrolet Silverado
	2022526	LT225/75R16	115/112R	E	10	Ford Econoline, Chevrolet C/K 2500 (GMT400), Ram ProMaster 2500
	2022556	LT235/85R16	120/116R	E	10	Ford F-250, Ford F-350, Dodge Ram 3500
	2022524	LT245/75R16	120/116R	E	10	Chevrolet Silverado, Ford Econoline, Chevrolet Express 3500
	2022523	LT265/75R16	123/120S	E	10	Ford F-350, Ford Excursion, Chevrolet Silverado
	2022537	LT285/75R16	126/123R	E	10	Hummer H3, Hummer H3T, Hummer H1
17"	1037519	225/65R17	102H		4	Toyota RAV4, Honda CR-V, Chevrolet Equinox
	1037520	235/65R17	108H	XL	4	Kia Sorento, Honda Odyssey, Chrysler Pacifica
	1037522	235/75R17	109T		4	Ford F-150, Ford Bronco, Jeep Wrangler Sport S
	1037524	245/65R17	111T	XL	4	Toyota Highlander, Chevrolet Trailblazer, Ford Explorer
	1037525	245/70R17	110T		4	Jeep Grand Cherokee, Chevrolet Silverado, Ram 1500
	1037527	255/65R17	110T		4	Ford F-150, Chevrolet Colorado, Ford Ranger
	1037528	255/70R17	116T	XL	4	Chevrolet Silverado, Ford F-150, GMC Sierra
	1037514	255/75R17	115T		4	Jeep Wrangler, Ford Bronco
	1037229	265/65R17	116T	XL	4	Toyota Tacoma, Toyota 4Runner, Nissan Frontier
	1036875	265/70R17	115T		4	Chevrolet Silverado, Ford F-150, Toyota 4Runner
	2022518	35X12.50R17LT	125S	E	10	Jeep Wrangler JL / Gladiator, Ford Bronco, Toyota Tacoma TRD Off-Road
	2022543	37X12.50R17LT	128S	E	10	Ford F-150, Ford Bronco, AM General H1
	2022536	LT235/80R17	120/117R	E	10	Ram 3500, Chevrolet Silverado 3500 HD, Ford F-350
	2022557	LT245/70R17	119/116S	E	10	Chevrolet Silverado, Ram 2500, Dodge Ram 2500
	2022521	LT245/75R17	121/118S	E	10	Ford F-250, Ford F-350, Chevrolet Silverado
	2022233	LT265/70R17	123/120S	E	10	Chevrolet Silverado, Ford F-250, Ram 1500
	2022525	LT285/70R17	126/123S	E	10	Jeep Wrangler, Jeep Gladiator JT, Jeep Wrangler JK
	2022560	LT315/70R17	126/123S	E	10	Ford Bronco, Ford F-150, Hummer H2

Rim Diameter	A-code	Tire size	Load index & Speed rate	Load Range	Ply Rating	Vehicle
18"	1037523	245/60R18	105H		4	Ford Edge, Toyota Highlander, Ford Explorer
	1037529	255/70R18	113T		4	Toyota Tundra, Jeep Wrangler, Jeep Wrangler JK
	1037516	265/60R18	110T		4	Jeep Grand Cherokee, Ford F-150, Dodge Durango
	1037234	265/65R18	116T	XL	4	Chevrolet Silverado, GMC Sierra, Chevrolet Tahoe
	1037517	265/70R18	116T		4	Nissan Titan, Toyota Tundra, Nissan Armada
	1037231	275/65R18	116T		4	Ford F-150, Ram 1500, Toyota Tundra
	2022561	33X12.50R18LT	122S	F	12	Ford F-150, Chevrolet Silverado 1500, Ram 1500
	2022519	35X12.50R18LT	128R	F	12	Ford F-150 Raptor, Chevrolet Silverado 1500 Trail Boss, Ram 1500 Rebel
	2022542	37X12.50R18LT	128R	E	10	Jeep Wrangler Rubicon (Lifted), Ford Bronco Raptor, Ram 2500 Power Wagon
	2022538	LT265/70R18	124/121S	E	10	Chevrolet Silverado, GMC Sierra, Ford F-150
20"	2022548	LT275/65R18	123/120S	E	10	Ford F-250, Ford F-150, Ford F-350
	2022549	LT275/70R18	125/122S	E	10	Ram 2500, Ford F-250, Ford F-350
	2022545	LT285/65R18	125/122S	E	10	Toyota Tundra, Ford F-150 FX4 / Tremor, Chevrolet Silverado 1500 Z71
	2022540	LT295/70R18	129/126S	E	10	Ford F-250 Super Duty, Ram 2500, Chevrolet Silverado 2500 HD
	1037515	265/50R20	111T	XL	4	Jeep Grand Cherokee, Dodge Durango, Genesis GV80
	1037233	275/55R20	117T	XL	4	Ford F-150, Chevrolet Silverado, Chevrolet Tahoe
	1037230	275/60R20	115T		4	Ford F-150, Chevrolet Silverado, GMC Sierra
	2022516	33X12.50R20LT	119R	F	12	Ford F-150, GMC Sierra 1500, Toyota Tundra
	2022515	35X12.50R20LT	125R	F	12	Ford F-250 Super Duty, Ram 2500, Chevrolet Silverado 2500 HD
	2022517	37X12.50R20LT	126R	E	10	Ford F-250 / F-350 Super Duty (Lifted), Ram 2500 / 3500, Chevrolet Silverado 2500 / 3500 HD
22"	2022558	LT265/60R20	121/118R	E	10	Chevrolet Silverado, GMC Sierra, Nissan Titan XD
	2022514	LT275/65R20	126/123S	E	10	Ford F-250, Chevrolet Silverado, GMC Sierra
	2022559	LT285/55R20	122/119R	E	10	Ford F-150, GMC Sierra 1500, Chevrolet Silverado 1500
	2022539	LT285/60R20	125/122S	E	10	Ram 2500, Ram 3500, Ram 1500
	2022562	LT305/55R20	125/122S	F	12	Ford F-150, GMC Sierra 1500 AT4, Ram 1500 Rebel
22"	1037518	285/45R22	114H	XL	4	Cadillac Escalade, Chevrolet Tahoe, Chevrolet Silverado