



X

X FIT VAN

Laufenn

Journey in Style

When the blue that represents rational value and the red that represents emotional value meet, the violet of Laufenn is born, providing consumers with both practical value and satisfaction.



Laufenn ensures an exceptional driving experience through an optimised performance in any weather or any season.

Laufenn provides the performance you need throughout a wide range of conditions in your everyday life, no matter the road condition.

Confident

The ability Laufenn provides is rooted in its uncompromising commitment to quality. When you go to work, see friends or take a road trip Laufenn is there with you everyday providing optimised performance and confidence.

Simple

Laufenn is simple, there's no add-ons and nothing to spoil your driving experience. Committed to the basics, Laufenn offers a pure driving experience tailored to you for your driving needs.

Open-minded

Laufenn refuses to accept a one-size-fits-all attitude. You know value when you see it so by making Laufenn your choice is transforming your own value into a new trend.

Sensible

Laufenn understands your refined taste and expresses your excellent style, representing your fashionable personality.



X FIT VAN

LT van tyre



Handling



Braking



Durability

The X FIT VAN provides consumers with wet/dry handling and braking, durability and an improved mileage.



FEATURES

- Optimises wet performance
- Secure stability and handling
- Long tread life
- Improved durability
- Designed to resist external damage

X FIT VAN

Speed Symbol : T/H/R/S


S.W. : 165~235

Series : 60~75


Inch : 14~16"

EU Label : C~E / B~C / W2

Performance information




Handling and braking



The X FIT VAN offers exceptional handling and braking for an optimized on-road driving experience.

Safety by braking performance

Enhances safety by improving wet braking performance.



3-channel wide grooves

The use of 3-channel wide grooves significantly reduces hydro-planing and enhances stability even at high speeds.



New 3D lateral grooves

Enhances wet performance without sacrificing block strength.




Sipes

The designs minimised block movement ensures maximum steering stability.

Zigzag diamond grooves

The 3D diamond cut block edge ensures excellent traction and enhances optimal handling by supporting the blocks when cornering.



Durability



Durability

The X FIT VAN ensures a capable driving experience with a focus on durability.




Belt edge tape

Stronger bonding between the belts ensures driving stability at high speeds whilst the durable structure is designed to sustain vehicle loads.




X FIT VAN




Standard tyre

The RCS construction

The special rubber material enhances structural coherence, improving durability and stability, which are essential factors to sustaining heavier vehicle loads.




X FIT VAN




Standard tyre

Durable contact patch technology

The optimal block and groove width design improves durability by maintaining even pressure.



X FIT VAN



Standard tyre

Wear life



Fuel Efficiency



Wear Life


The X FIT VAN provides secure driving from beginning to end, with a long tread life.

Mileage and fuel efficiency

The squared foot design ensures more tyre-road contact and greater fuel mileage.




Low Fuel Consumption



X FIT VAN




High Fuel Consumption



Standard tyre

Long mileage carbon compound

Carbon compounds are smaller than those found in existing materials that greatly reduce energy dispersion.



X FIT VAN

Standard tyre



2 step block

The design reinforces centre block stiffness and improves traction.



TYRE STRUCTURE

The X FIT VAN adopts new technology for the LT commercial van, engineered for on load performance.



* The model size in the structural diagram is for the 215/65R16R tyre and the descriptions of structural diagrams may vary by size.

AVAILABLE SIZES

60 Series

Size	LI and SS	Label		
		RR	Wet grip	Wave (dB)
215/60R16C	103/101T	C	B	1 (68dB)
195/60R16C	99/97H	E	B	1 (68dB)

65 Series

Size	LI and SS	Label		
		RR	Wet grip	Wave (dB)
195/65R16C	104/102R	E	C	1 (67dB)
205/65R15C	102/100T	E	C	1 (67dB)
215/65R16C	109/107T	C	B	1 (67dB)
235/65R16C	115/113R	C	B	1 (67dB)
205/65R16C	107/105T	E	C	1 (67dB)
225/65R16C	112/110R	C	B	1 (67dB)
175/65R14C	90/88T	E	C	1 (67dB)

70 Series

Size	LI and SS	Label		
		RR	Wet grip	Wave (dB)
215/70R15C	109/107S	C	C	1 (67dB)
205/70R15C	106/104R	E	C	1 (67dB)
225/70R15C	112/110S	C	C	1 (67dB)
165/70R14C	89/87R	E	B	1 (67dB)
195/70R15C	104/102R	E	C	1 (67dB)

75 Series

Size	LI and SS	Label		
		RR	Wet grip	Wave (dB)
225/75R16C	121/120R	C	C	1 (67dB)
205/75R16C	113/111R	C	C	1 (67dB)
185/75R16C	104/102R	E	C	1 (67dB)
215/75R16C	116/114R	C	C	1 (67dB)
195/75R16C	107/105R	E	C	1 (67dB)

82 Series

Size	LI and SS	Label		
		RR	Wet grip	Wave (dB)
195R14C	106/104R	C	C	1 (67dB)
185R14C	102/100R	E	C	1 (67dB)

Laufenn

Fawsley Drive, Heartlands Business Park, Daventry,
Northamptonshire, NN11 8UG, U.K.

www.laufenn.com/uk

Tel. +44 (0)1327-304-100 / Fax. +44 (0)1327-304-110