



Confident

The ability Laufenn provides is rooted in its uncompromising commitment to quality. When you go to work or head out to meet your friends... When you go on a trip or venture out to a new place... Laufenn is there with you everyday providing optimized performance and confidence.

Simple

Laufenn is Simple – with no add-ons and nothing to spoil your driving experience. Committed to the basics, Laufenn offers a pure driving experience tailored to for your needs.

Open-minded

Laufenn refuses to accept a one-size-fits-all attitude. You know value when you see it and are determined to embrace new choices. Making Laufenn your choice is transforming your own value into a new trend.

Sensible

Laufenn understands your refined taste. You have an extraordinary eye for quality – all at a glance. Your choices are always solid. Laufenn expresses your excellent style and represents your fashionable personality.



X FIT Van

LT Van Tyre







The X FIT Van provides consumers with Wet/Dry Handling & Braking, Durability and better Mileage.





FEATURES

- Optimized wet performance
- Secure stability and handling
- Long tread life
- Improved durability
- Designed to resist external damage

X FIT VAN

Speed Symbol: T **S.W.**: 165~235 **Series**: 60~75 **Inch**: 14~16"

EU Label: E/B/W2



Performance Information

Handling	8
Braking	8
Durability	9
Fuel Efficiency	7
Wear Life	7

Handling & Braking







The X FIT Van offers exceptional handling and braking for an optimized on-road driving experience.

Safety by Braking Performance Enhanced safety by improving wet braking performance. 2% DECREASE X FIT Van Standard Tyre



Sipe

The design's minimized block movement ensures maximum steering stability.

3-Channel Wide Groove

The Use of 3-Channel Wide Grooves The designed pattern significantly reduces hydro-planing and enhances stability even at high speeds.



New 3D Lateral Groove

Enhances Wet performance without sacrificing block strength.



Zigzag Diamond Groove

The 3-D diamond cut block edge ensures excellent traction and enhances optimal handling by supporting the blocks when cornering.






Durability



The X FIT Van ensures a capable driving experience with a focus on durability.



Belt Edge Tape

Stronger bonding between the belts ensures driving stability at high speeds, and the durable structure is designed to sustain vehicle loads.





Standard Tyre

The RCS Construction

The special rubber material enhances structural coherence and improves durability and stability – essential factors to sustaining heavier vehicle loads.





Standard Tyre

Durable Contact Patch Tech

The optimal block and groove width design improves durability by maintaining even pressure.





X FIT Van

Standard Tyre

Wear Life





The X FIT Van provides secure driving, from beginning to end, with long tread life.

Mileage & Fuel Efficiency


The squared foot design ensures more tyre-road contact and greater fuel mileage.












Long Mileage Carbon Compound

Smaller grain size than that found in existing materials greatly reduces energy dispersion.





2 Step Block

The design reinforces center block stiffness and improves traction.



TYRE STRUCTURE

The X FIT Van adopts new technology for LT Commercial Van, engineered for on load performance.



^{*} The model size in the structural diagram is for the 215/65R16R tyre, and the descriptions of structural diagrams may vary by size.

60 Series

Size	LI & SS	Label		
		RR	Wet grip	dB
215/60R16	103/101T			
195/60R16	99/97H			

65 Series

Size	LI & SS	Label		
	LI & SS	RR	Wet grip	dB
195/65R16	104/102R			
205/65R15	102/100T			
215/65R16	109/107T			
235/65R16	115/113R			
205/65R16	107/105T			
225/65R16	112/110R			
175/65R14	90/88T			

70 Series

Size	LI & SS	Label			
		RR	Wet grip	dB	
215/70R15	109/107S				
205/70R15	106/104R				
225/70R15	112/110S				
165/70R14	89/87R				
195/70R15	104/102R				

75 Series

Size	LI & SS	Label		
	L1 & 33	RR	Wet grip	dB
225/75R16	121/120R			
205/75R16	113/111R			
185/75R16	104/102R			
215/75R16	116/114R			
195/75R16	107/105R			

82 Series

Size	LI & SS	Label			
		RR	Wet grip	dB	
195R14	106/104R				
185R14	102/100R				

