



G

G FIT EQ

Laufenn

Journey in Style

When the blue that represents rational value and the red that represents emotional value meet, the violet of Laufenn is born, providing consumers with both practical value and satisfaction.



Laufenn ensures an exceptional driving experience through an optimised performance in any weather or any season.

Laufenn provides the performance you need throughout a wide range of conditions in your everyday life, no matter the road condition.

Confident

The ability Laufenn provides is rooted in its uncompromising commitment to quality. When you go to work, see friends or take a road trip Laufenn is there with you everyday providing optimised performance and confidence.

Simple

Laufenn is simple, there's no add-ons and nothing to spoil your driving experience. Committed to the basics, Laufenn offers a pure driving experience tailored to you for your driving needs.

Open-minded

Laufenn refuses to accept a one-size-fits-all attitude. You know value when you see it so by making Laufenn your choice is transforming your own value into a new trend.

Sensible

Laufenn understands your refined taste and expresses your excellent style, representing your fashionable personality.



G FIT EQ

High performance tyre



Wet



Wear life



Dry

The G FIT EQ provides consumers with better wet handling, braking and fuel efficiency.



FEATURES

- **Summer** : Optimised dry and wet performance
- **Impressive tread life**
- **Quiet, smooth driving across all road conditions**

G FIT EQ

Speed Symbol : T / H

S.W. : 135~235

Series : 55~80

Inch : 13~17"

EU Label : C~F / C~E / W2


Performance information



Wet



The G FIT EQ is designed for drivers who aim for optimal performance in summer conditions.




Grooves designed for superior water drainage

The lateral groove design enhances water drainage and road gripping performance, thus improving steering stability for good handling on wet roads.



Inside kerf

The asymmetric patterns of the inside kerf design enhance handling performance on wet roads and cornering stability.



Centre groove sipes

The centre groove sipes allow faster water drainage, improving overall performance.

Wear life



Wear life



Handling

The G FIT EQ provides secure driving from beginning to end, with long tread life.



Belt edge tape

A folded belt edge tape design is incorporated between the tyre's two tread belts to improve handling performance in high speed.



G FIT EQ



Standard tyre

Longer mileage and even tread wear

An optimised tyre profile designed by a computer-aided simulation improves braking performance and wear by evenly distributing weight over the tyre's contact patch.



Even pressure




Special rubber layer

The tread pattern and special rubber structure minimise rotational resistance and maximise fuel efficiency



New hybrid compound

The use of high-performance polymer compounds that easily handle 3-dimensional movement, reduces rotational resistance and increases tyre wear life.



Handling and cornering



The G FIT EQ helps drivers enjoy a comfortable and quiet ride via optimised technology.

Handling

Noise



Tie-bar

Tie-bars that connect the shoulder blocks reinforce the stiffness of the shoulder tread for maximum cornering grip and minimise irregular wear.



G FIT EQ



Standard tyre




Asymmetric patterns

Without kerf cuts the design pattern reinforces the outside block stiffness which in turn enhances cornering stability.


Half-depth lateral grooves

The differentiated groove depth reinforces both inside and outside block stiffness leading to enhanced cornering and handling stability.



Optimised stiffness distribution design

An optimised three variable pitch stiffness distribution tread block design ensures minimum vibration and noise as well as improved riding comfort.



Designed kerf

Optimised kerf depths ensure improved driving performance and a smoother, more comfortable ride.



TYRE STRUCTURE

The G FIT EQ adopts new technology for passenger cars engineered for great steering and a comfortable ride.



* The model size in the structural diagram is for the 195/65R15H tyre and the descriptions of structural diagrams may vary by size.

AVAILABLE SIZES

55 Series

Size	LI and SS	Label		
		RR	Wet grip	Wave (dB)
185/55R14	80H	E	C	2 (70dB)

60 Series

Size	LI and SS	Label		
		RR	Wet grip	Wave (dB)
165/60R14	75H	E	E	2 (70dB)
185/60R14	82T	E	C	2 (70dB)
185/60R14	82H	E	C	2 (70dB)
185/60R15	84H	E	C	2 (70dB)
185/60R15 XL	88H	E	C	2 (71dB)
235/60R16	100H	C	C	2 (71dB)
215/60R17	96H	E	C	2 (71dB)

65 Series

Size	LI and SS	Label		
		RR	Wet grip	Wave (dB)
155/65R13	73T	E	E	2 (70dB)
165/65R13	77T	E	E	2 (70dB)
175/65R13	80T	E	E	2 (70dB)
155/65R14	75T	E	E	2 (70dB)
165/65R14	79T	E	E	2 (70dB)
175/65R14	82T	E	E	2 (70dB)
175/65R14	82H	E	E	2 (70dB)
175/65R14 XL	86T	C	E	2 (71dB)
185/65R14	86T	C	C	2 (70dB)
185/65R14	86H	C	C	2 (70dB)
165/65R15	81H	E	E	2 (70dB)
175/65R15	84T	E	E	2 (70dB)
175/65R15	84H	E	E	2 (70dB)
185/65R15	88T	E	C	2 (70dB)
185/65R15	88H	E	C	2 (70dB)
195/65R15	91T	C	C	2 (71dB)
195/65R15 XL	95T	C	C	2 (72dB)
195/65R15	91H	C	C	2 (71dB)
215/65R16	98H	E	C	2 (71dB)
225/65R17	102H	C	C	2 (71dB)

70 Series

Size	LI and SS	Label		
		RR	Wet grip	Wave (dB)
145/70R13	71T	E	E	2 (70dB)
155/70R13	75T	E	E	2 (70dB)
165/70R13	79T	E	E	2 (70dB)
175/70R13	82T	E	E	2 (70dB)
165/70R14	81T	E	E	2 (70dB)
175/70R14 XL	88T	E	E	2 (71dB)
185/70R14	88T	C	E	2 (70dB)
205/70R15	96T	C	E	2 (71dB)

80 Series

Size	LI and SS	Label		
		RR	Wet grip	Wave (dB)
135/80R13	70T	F	E	2 (70dB)
145/80R13	75T	F	E	2 (70dB)
155/80R13	79T	E	E	2 (70dB)
165/80R13	83T	E	E	2 (70dB)

Laufenn

Fawsley Drive, Heartlands Business Park, Daventry,
Northamptonshire, NN11 8UG, U.K.

www.laufenn.com/uk

Tel. +44 (0)1327-304-100 / Fax. +44 (0)1327-304-110