



Laufenn offers a product for all professional transport partners

The Laufenn brand offers customers that are seeking value, quality and performance a wide range of quality products to meet a broad variety of driving conditions. No matter the season, no matter the road conditions, Laufenn will bring you reliably throughout your journey.

Manufactured by a premium TBR manufacturer

Laufenn tyres are designed by experienced engineers at state-of-the-art facilities in order to provide high tech products fitting to all the needs and expectations of demanding customers. The products are produced with the latest automated equipment at large scale ISO-certified plants, where quality is guaranteed.

Built with Quality and Reliability in mind

The Laufenn quality policy provides superior products and services to satisfy the needs of our customers all over the world. In this quickly changing world we offer you up-to-date products that target your day-to-day needs and help you to reach your destinations at ease.

The value choice for professional partners

Making sure that you can extract all of the value designed and manufactured into the tyre range. Laufenn tyres are designed to deliver maximum mileage performance, making them the right choice for the 'value' focused transport professional.



LF60

All-Position Multi-Purpose Urban Tyre









Multi-purpose all-position tyre for city driving. The minimised motion of the belt structure provides low heat generation in stop-and-go traffic. The carcass structure, with minimised tyre deformation for an optimised foot shape offers control and even step wear. The minimised bead mobility also contributes to the retreadability of the tyre.





FEATURES

- Better wear resistance for city traffic
- Deep tread depth for extended life
- Durable casing for better retreadability and enhanced mileage
- Reinforced sidewall for extended casing life

LF60

Speed Symbol: J/F

N.S.W: 275 Series: 70 Inch: 22.5

EU Label: D/C/W1



Multi-Purpose All-Position Tyre for City Traffic







Optimised tread profile provides stability and uniformity which reducing distortion, delivering outstanding handling performance and improved tread life.



Optimised Tread Profile

- · Uneven wear minimised by the optimised kerf arrangement.
- Expanded shoulder width and adoption of pitch allocation for increased stiffness on the shoulder area.
- · Pitch interval extension.



Horizontal Kerf

Horizontal kerfs inserted at the tread rib. Kerfs securing the equilibrium of centre and shoulder rib block stiffness.

Deeper Grooves


Deeper grooves for improved mileage and traction performance.

Full Sidewall Protector

Improved shock resistance at sidewall.

Sidewall damage indicator (Hole-Type Damage Indicator)

Hole-type indicator fading in case of sidewall damage, allows operator to detect damage with the naked eye.





AVAILABLE SIZES

Size	LI/SS	Ply	Measured Rim	Max.Air				Max.Load				Overall Diameter	Section Width	Tread Width	Tread Depth	Static Loaded	Tyre labelling class				Markings
				PSI		bar		kgs		lbs		Diameter	Width	Wideli	Deptii	Radius		111 93			
				S	D	S	D	S	D	S	D	mm	mm	mm	mm	SLR	₩			<i>U))</i>	
Tubeless	Tubeless																				
275/70R22.5	150/148J (152/148F)	P18	8.25	131	131	9	9	3350 (3550)	3150 (3150)	7385 (7830)	6945 (6945)	967	280	230	17	452	D	С	71	W1	M+S 🕸

Technical data subject to change without prior notice.

Recommended vehicle types and position



• Recommended position • Available position



HANKOOK TYRE UK LTD.

Fawsley Drive, Heartlands Business Park, Daventry, Northamptonshire, NN11 8UG, UK. Tel: +44 (0)1327 304100 Fax: +44 (0)1327 304110

www.laufenn.com